

# Safety Data Sheet

#### 1.0 Product Identifier

Pin - SF 3300

REACH Registration number – not applicable

- 1.2 Relevant uses Sheet Sealing Product
- 1.3 Details of the supplier -

Flexitallic Ltd, Scandinavia Mill, Hunsworth Lane, Cleckheaton, West Yorkshire, BD19 4LN

Phone number – 01274 851273 Emergency e-mail – enquiries@flexitallic.eu

1.4 Emergency telephone number – 01274 851273

#### 2.0 Hazard identification

2.1 Classification of items within the mixture.

Regulation (EC) No 1272/2008 (CLP)	Hazard Statement
Aramid fibre	Non-hazardous within the mixture
Elastomeric binder (Nitrile Rubber)	Non-hazardous within the mixture
Inorganic fillers	Non-hazardous within the mixture
Vulcanising agents	Non-hazardous within the mixture
Pigments	Non-hazardous within the mixture

- 2.2 Label Elements Not applicable to these products.
- 2.3 Other hazard information: although substances used in the manufacture of this sheet material can, prior to production, present hazards from ingestion etc. when contained within the sheet materials they do not present a hazard in any form nor can they be released.
- 3.0 Information on ingredients.
- 3.1 Ingredients within the mix used to produce this sheet are listed in section 2.1 of this document.
- 3.2 Mixtures not applicable to this material.

Derdas



#### 4.0 First aid measures

#### 4.1 Description of first aid measures

General information: – the materials used to produce this product do not present any risk to the user in its encapsulated form. However when cutting operations are being carried out there is a low probability of dust or fume release.

In accordance with best practise the work should be carried out in a well-ventilated area or an engineering solution provided (Local Exhaust Ventilation – LEV). However if this is not possible then respiratory protection can be used.

Skin contact – always wash well after handling these products.

Eye contact – flush the eye(s) with clean water.

Ingestion – highly improbable.

- 4.2 Symptoms some mild skin irritation can occur.
- 4.3 Indications of immediate medical attention being required none.

## 5.0 Fire Fighting measures -

General: – the material will burn with difficulty in a sustained fire situation but will tend to self-extinguish when the source of ignition is removed.

5.1 Extinguishing media: – Water or foam.

Dry chemical powder and carbon dioxide may also be used. In view of the comments in 'general' the source of the fire should be dealt with in accordance with requirements and the material will then self-extinguish.

- 5.2 Special hazards arising from the material:- very low level of irritant fumes and toxic gases.
- 5.3 Advise to fire fighters:-none.

## 6.0 Accidental release measures

- 6.1 Personal precautions etc. none.
- 6.2 Environmental precautions none.

Derdas



#### 7.0 Handling and storage

- 7.1 Gloves should be worn when handling these materials.
- 7.2 Conditions for safe storage none.
- 7.3 Specific end uses refer to appropriate technical data sheet.

## 8.0 Exposure controls/personal protection

Not applicable to these products.

## 9.0 Physical Properties.

- Physical state solid.
- Colour and appearance light rubber odour, light yellow in colour, sheet material.
- Odour threshold NA
- Vapour pressure NA
- Vapour density NA
- Evaporation rate NA
- Boiling point NA
- Freezing point NA
- pH NA
- Specific gravity NA
- Coeff. Water/Oil Dist. NA

## 10.0 Stability and reactivity

- 10.1 Reactivity NA
- 10.2 Chemical stability NA
- 10.3 Possibility of hazardous reactions NA
- 10.4 Conditions to avoid NA
- 10.5 Incompatible materials NA
- 10.6 Hazardous decomposition products NA

## 11.0 Toxicological Information.

Not applicable to these products

# 12.0 Ecological Information

- 12.1 Toxicity NA
- 12.2 Persistence and degradability NA
- 12.3 Bio accumulative potential NA
- 12.4 Mobility in soil NA

Derdas



- 12.5 Results of PBT and vPvB assessment NA
- 12.6 Other adverse effects NA

#### 13.0 Disposal considerations

13.1 All waste should be disposed of in accordance with the requirements of local regulations. Consideration should also be given to the potential for re-cycling or, if possible, by environmentally friendly routes. These could include re-cycling or the use of waste in Refuge Derived Fuel plants.

## 14.0 Transport considerations

No special requirements

## 15.0 Regulatory information

- 15.1 Safety, Health and Environmental regulations N.A.
- 15.2 Chemical safety assessment N.A.

#### 16.0 Other information

Date This Document Was Created - Aug 2014

Date of issue - Sep 2014

Brief description of changes since the last version -

Development of the extended safety data sheet REACH annex II revision.

**Updated** information

10.5 Incompatible substances - now reads N/A

10.6 Hazardous decomposition products – now reads N/A

List of abbreviations – vPvB – very Persistent very Bioaccumulative

Issuing authority - Flexitallic Technical Engineering Department

# **Total Pages - 4**

Derda S