

Safety Data Sheet

1.0 Product Identifier

1.1 Material Name – Novus 26

REACH Registration number – NA

1.2 Relevant uses – Elastomer bonded sheet gasket material

1.3 Details of the supplier –

Flexitallic Ltd, Scandinavia Mill, Hunsworth Lane, Cleckheaton,
West Yorkshire, BD19 4LN

Phone number – 01274 851273

Emergency e-mail – enquiries@flexitallic.eu

1.4 Emergency telephone number - 01274 851273

2.0 Hazard identification

2.1 Classification of items within the mixture.

Regulation (EC) No 1272/2008 (CLP)	Hazard Statement
Aramid fibres	Non-hazardous within the mixture
Elastomeric binders (Natural & Styrene-butadiene Rubbers)	Non-hazardous within the mixture
Inert fillers	Non-hazardous within the mixture
Vulcanising agent	Non-hazardous within the mixture
Pigments	Non-hazardous within the mixture

2.2 Label Elements - not applicable to these products.

2.3 Other hazard information – although substances used in the manufacture of this sheet material can, prior to production, present hazards from ingestion etc. – when contained within the sheet materials they do not present a hazard in any form nor can they be released.

3.0 Information on ingredients.

3.1 Materials used to produce this sheet material are listed in section 2.1 of this document.

3.2 Mixtures – not applicable to this material.



4.0 First aid measures

4.1 Description of first aid measures

General information: – the materials used to produce this product present a low level potential risk from dust inhalation. Local Exhaust Ventilation (LEV) can be used or respiratory protection if required.

Skin contact – NA

Eye contact – flush the eye(s) with clean water.

Ingestion –NA

Inhalation – in the product as supplied – no significant health hazard

4.2 Symptoms – NA

4.3 Indications of immediate medical attention being required – none.

5.0 Fire Fighting measures –

General: – some of the components will burn with difficulty in a sustained fire situation but will tend to self-extinguish when the source of ignition is removed.

5.1 Extinguishing media: – Water or foam.

Dry chemical powder and carbon dioxide may also be used. In view of the comments in 'general' the source of the fire should be dealt with in accordance with requirements and the material will then self-extinguish.

5.2 Special hazards arising from the material – none.

5.3 Advise to fire fighters - None

6.0 Accidental release measures

6.1 Personal precautions etc. – none.

6.2 Environmental precautions – none.

7.0 Handling and storage

7.1 Gloves should be worn when handling these materials.

7.2 Conditions for safe storage – cool dry conditions.

7.3 Specific end uses - refer to appropriate technical data sheet.

8.0 Exposure controls/personal protection

8.1 Control Parameters – NA

8.2 Exposure controls – NA

8.3 Environmental exposure controls - NA

9.0 Physical Properties

- Physical state – solid.
- Colour and appearance – light rubber odour, green in colour, sheet material.
- Odour threshold – NA
- Vapour pressure – NA
- Vapour density – NA
- Evaporation rate – NA
- Boiling point – NA
- Freezing point – NA
- pH – NA
- Specific gravity – NA
- Coeff. Water/Oil Dist. – NA

10.0 Stability and reactivity

- 10.1 Reactivity – NA
- 10.2 Chemical stability – NA
- 10.3 Possibility of hazardous reactions – NA
- 10.4 Conditions to avoid – NA
- 10.5 Incompatible materials – NA
- 10.6 Hazardous decomposition products - NA

11.0 Toxicological Information.

- 11.1 Acute toxicity – NA
- 11.2 Skin corrosion/irritation – NA
- 11.3 Serious eye damage/irritation – NA
- 11.4 Respiratory or skin sensitisation – NA
- 11.5 Germ or mutagenicity – NA
- 11.6 Carcinogenicity – NA
- 11.7 Reproductive toxicity – NA
- 11.8 STOT – NA
- 11.9 Aspiration hazard - NA

12.0 Ecological Information

- 12.1 Toxicity – NA
- 12.2 Persistence and degradability – NA

12.3 Bio accumulative potential – NA

12.4 Mobility in soil – NA

12.5 Results of PBT and vPvB assessment - NA

12.6 Other adverse effects – NA

13.0 Disposal considerations

13.1 All waste should be disposed of in accordance with the requirements of local regulations. Consideration should also be given to the potential for re-cycling or, if possible, by other environmentally friendly routes.

14.0 Transport considerations

No special requirements

15.0 Regulatory information

15.1 Safety, Health and Environmental regulations – NA

15.2 Chemical safety assessment – NA

16.0 Other information

Date This Document Was Created – Aug 2014

Date of issue – Sep 2014

Brief description of changes since the last version –

Development of the extended safety data sheet REACH annex II revision.

Updated information

2.1 Contents

List of abbreviations – vPvB – very Persistent very Bio accumulative

STOT – Specific Target Organ Toxicity

Issuing authority - Flexitallic Applications Engineering Department

Total Pages - 4